

Katalog części / Spare parts list

FREZARKA POBOCZY / ROAD SHOULDER GRINDER RP 110 - 1,10 m / 3' 7" (0335)

**- akcesoria dodatkowe do głowicy / accessories for the head
(0388A)**


**przystosowana do pracy z ramionami wysięgnikowymi:
dedicated for extension arms:**

**- KWT
-CAMEL**


Nr seryjny / Serial no.

K0335PLEN000
2020.08.17
Wersja / Edition: 0

		0335.00.00.000 RP 110		2 Tab. 1	
L.p. Item	Numer części Part No.	Nazwa części	Description	Ilość Quantity	Uwagi Notes
1	0335.01.00.000	Zespół tnący	Cutting unit	1	
2	0335.02.00.000	Zespół napędowy	Drive transmission	1	
3	0335.03.00.000	Koło podporowe	Support wheel	1	



L.p. Item	Numer części Part No.	Nazwa części	Description	Ilość Quantity	Uwagi Notes
1	00S0.16.25.080	Sworzeń Ø16 (S0.16.25.080)	Pin Ø16 (S0.16.25.080)	1	
2	0273.02.05.000	Zębatka z=12 - 12B-2	Gear z=12 - 12B-2	1	
3	0335.01.01.000	Rama nośna	Main body	1	
4	0335.01.02.000	Wał bijakowy	Shaft	1	
5	0335.01.03.000	Tuleja fi 44 - L=30	Bushing fi 44 - L=30	1	
6	0335.01.04.000	Zębatka z=22 - 12B-2	Gear z=22 - 12B-2	1	
7	0335.01.05.000	Napinacz	Tensioner	1	
8	0335.01.06.000	Lemiesz zgarniający	Grind	25	
9	0335.01.07.000	Zasłepka	Masking plate	1	
10	0335.01.08.000	Oprawa łożyskowa	Bearing housing	2	
11	0335.01.10.000	Podkładka regulacyjna	Distance bush	6	
12	0372.05.02.001	Tuleja fi. 85x72 L=7	Bushing fi. 85x72 L=7	2	-
13	MZIS-000-001	Smarownicza M8x1	Grease nipple M8x1	2	
14	MZLZ-022-209	Łożysko 22209 CW33	Bearing 22209 CW33	2	
15	MZLZ-063-002	Łożysko 6302 2RS	Bearing 6302 2RS	2	
16	MZNS-012-004	Nakrętka M12 kl. 8 oc. samozab.	Nut M12 cl. 8 z. self-lock.	2	
17	MZNZ-012-002	Nakrętka M12 kl. 8 oc.	Nut M12 cl. 8 z.	4	
18	MZPP-012-002	Podkładka Ø12 oc.	Washer Ø12 z.	2	
19	MZPS-016-003	Podkładka spręż. Ø16,3 oc.	Spring washer Ø16.3 z.	8	
20	MZSE-015-001	Pierścień osad. Z 15	Circlip Z 15	1	
21	MZSE-040-001	Pierścień osad. Z 40	Snap ring Z 40	1	
22	MZSE-042-001	Pierścień osad. W 42	Circlip W 42	2	
23	MZSI-012-003	Wkręt z łbem stoż. z gniaz. imbusowym- oc. - M12x35	Bolt M12x35 cl. 8.8 z. Hex. counter-sunk	2	
24	MZSP-012-040	Śruba M12x 40 kl. 8.8 oc. PODS.	Bolt M12x 40 cl. 8.8 z. square-neck	2	
25	MZSZ-016-008	Śruba M16x 45 kl. 8.8 oc. (82105)	Bolt M16x 45 cl. 8.8 z. (82105)	8	
26	MZUS-045-007	Simmering A - 45x 72x 8	Simmering A - 45x 72x 8	1	
27	MZUS-050-007	Simmering A - 50x 72x 7	Simmering A - 50x 72x 7	2	
28	MZWP-012-001	Wpust A 12x8x40	Key A 12x8x40	1	
29	MZZP-000-002	Zawlecza - Przetyczka A 6x45	Lynch pin A 6x45	1	



This diagram illustrates the exploded view of a mechanical assembly, featuring 24 numbered components. The central element is a motor or actuator (1) with a mounting bracket (24). To its right is a large, flexible, braided hose (2) connected to a rectangular housing (3). The housing has a top cover (18) secured by a screw (21). A small circular component (20) is attached to the housing. A gear (22) is positioned near the motor. Various other parts, including bolts (10, 17, 19), washers (16), and connectors (4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15), are shown in their relative positions for assembly. The components are numbered 1 through 24.

L.p. Item	Numer części Part No.	Nazwa części	Description	Ilość Quantity	Uwagi Notes
1	0335.03.01.000	Rama koła	Wheel mount	1	
2	0335.03.03.000	Ogranicznik 2	Stopper	1	
3	MIGK-000-004	Koło podporowe skr. 250x80x190	Support wheel	1	
4	MZNS-012-004	Nakrętka M12 kl. 8 oc. samozab.	Nut M12 cl. 8 z. self-lock.	4	
5	MZPP-012-002	Podkładka Ø12 oc.	Washer Ø12 z.	4	
6	MZSZ-012-005	Śruba M12x 40 kl. 8.8 oc. (82105)	Bolt M12x 40 cl. 8.8 z. (82105)	2	
7	MZSZ-012-045	Śruba M12x 45 kl. 8.8 oc. (82101)	Bolt M12x 45 cl. 8.8 z. (82101)	2	

