



MASZYNY ROLNICZE I KOMUNALNE  
FARM AND MUNICIPAL MACHINERY

**SaMASZ Sp. z o.o.**

ul. Trawiasta 15  
15-161 Białystok - Poland

Rok założenia / Established in - 1984

centrala / phone +48 85 664-70-31

fax +48 85 664-70-41

e-mail: samasz@samasz.pl / export@samasz.com

www.samasz.pl / www.samasz.com

## ***Katalog części / Spare parts list***

### ***PILARKA TARCZOWA / CIRCULAR SAW PT4-250 - 2,50m (0925)***

***przystosowana do pracy  
z ramionami wysięgnikowymi / adjusted to work with:***

- KWT***
- CAMEL***
- FISHER***

***Wersja / Edition: 0***


***Nr seryjny / Serial no.***

***Białystok 2016.03.14***


***K0924PLEN000***

# Tab. 1


| L.p.<br>Item | Numer części<br>Part No. | Nazwa części                           | Description                       | Ilość<br>Quantity | Uwagi<br>Notes |
|--------------|--------------------------|----------------------------------------|-----------------------------------|-------------------|----------------|
| 1            | 0924.02.00.000           | Zespół tnący                           | Cutting unit                      | 4                 |                |
| 2            | 0924.06.00.000           | Napinacz                               | Tensioner                         | 4                 |                |
| 3            | 0925.01.00.000           | Zespół nośny                           | Suspension unit                   | 1                 |                |
| 4            | 0925.03.00.000           | Zespół napędowy - Silnik 41 ccm        | Drive unit - Engine 41 ccm        | 1                 |                |
| 5            | 0925.04.00.000           | Zespół napędowy II - Silnik 26 ccm Alu | Drive unit II - Engine 26 ccm Alu | 1                 | Option Fischer |
| 6            | 0925.07.00.000           | Ośłona ostrza                          | Saw cover                         | 1                 |                |



| L.p.<br>Item | Numer części<br>Part No. | Nazwa części                      | Description                     | Ilość<br>Quantity | Uwagi<br>Notes |
|--------------|--------------------------|-----------------------------------|---------------------------------|-------------------|----------------|
| 1            | 0540.03.23.001           | Piasta dolna                      | Lower hub                       | 1                 |                |
| 2            | 0924.02.01.000           | Bączek                            | Vertical drive shaft            | 1                 |                |
| 3            | 0924.02.02.000           | Piła fi 630x40x3,5 - z=84         | Saw fi 630x40x3,5 - z=84        | 1                 |                |
| 4            | 0924.02.03.000           | Docisk                            | Clamp                           | 1                 |                |
| 5            | 0924.02.05.000           | Dystans                           | Distance ring                   | 1                 |                |
| 6            | MZLZ-063-000             | Łożysko 6307 2RS C3               | Bearing 6307 2RS C3             | 2                 |                |
| 7            | MZNS-010-002             | Nakrętka M10 kl. 8 oc. samozab.   | Nut M10 cl. 8.8 z. self-lock.   | 6                 |                |
| 8            | MZNS-012-004             | Nakrętka M12 kl. 8 oc. samozab.   | Nut M12 cl. 8.8 z. self-lock.   | 5                 |                |
| 9            | MZPP-012-002             | Podkładka fi12 oc.                | Washer fi12 z.                  | 5                 | -              |
| 10           | MZSE-035-001             | Pierścień osad. Z 35              | Circlip Z 35                    | 2                 |                |
| 11           | MZSZ-010-008             | Śruba M10x 35 kl. 8.8 oc. (82105) | Bolt M10x 35 cl. 8.8 z. (82105) | 6                 |                |
| 12           | MZSZ-012-003             | Śruba M12x 35 kl. 8.8 oc. (82105) | Bolt M12x 35 cl. 8.8 z.         | 5                 |                |
| 13           | MZWP-010-001             | Wpust A 10x 8x 45                 | Key A 10x 8x 45                 | 1                 |                |




| L.p.<br>Item | Numer części<br>Part No. | Nazwa części                         | Description                        | Ilość<br>Quantity | Uwagi<br>Notes |
|--------------|--------------------------|--------------------------------------|------------------------------------|-------------------|----------------|
| 1            | 0924.06.01.000           | Rolka                                | Roller                             | 1                 |                |
| 2            | 0924.06.02.000           | Tulejka L=21                         | Bush L=21                          | 1                 |                |
| 3            | 0924.06.03.000           | Trzpień                              | Pin                                | 1                 |                |
| 4            | 0924.06.04.000           | Ramię                                | Arm                                | 1                 |                |
| 5            | 0924.06.05.000           | Sprężyna skrętna fi 6 L=64           | Spring fi 6 L=64                   | 1                 |                |
| 6            | 0924.06.06.000           | Blokada                              | Lock                               | 1                 |                |
| 7            | 0924.06.07.000           | Tuleja                               | Bush                               | 1                 |                |
| 8            | 0924.06.08.000           | Tulejka dystansowa                   | Distance bush                      | 1                 |                |
| 9            | MZLZ-006-111             | Łozysko 6301 2RS                     | Bearing 6301 2RS                   | 2                 |                |
| 10           | MZNS-008-006             | Nakrętka M 8 kl. 8 oc. samozab.      | Nut M 8 cl. 8.8 z. self-lock.      | 3                 |                |
| 11           | MZNS-012-004             | Nakrętka M12 kl. 8 oc. samozab.      | Nut M12 cl. 8.8 z. self-lock.      | 1                 |                |
| 12           | MZPP-008-002             | Podkładka fi 8 oc.                   | Washer fi 8 z.                     | 2                 |                |
| 13           | MZPP-012-002             | Podkładka fi12 oc.                   | Washer fi12 z.                     | 1                 | -              |
| 14           | MZSI-008-155             | Śruba M 8x 55 kl. 8.8 oc. IMB. STOŻ. | Bolt M 8x 55 cl. 8.8 z.            | 1                 |                |
| 15           | MZSZ-008-002             | Śruba M 8x 25 kl. 8.8 oc. PODS.      | Bolt M 8x 25 cl. 8.8 z. sq. neck   | 2                 |                |
| 16           | MZSZ-012-070             | Śruba M12x 70 kl. 8.8 oc. (82101)    | Bolt M12x 70 cl. 8.8 z. (82101)    | 1                 |                |
| 17           | MZZK-005-006             | Kolek spręż. fi 5x 36 nierdz.        | Spring pin fi 5x36 stainless steel | 1                 |                |




This technical drawing is an exploded view of a mechanical assembly, likely a chassis or housing. It consists of several main components and numerous fasteners, each identified by a numbered callout:

- Component 1:** A small circular fastener, possibly a pin or a small washer.
- Component 2:** A small triangular bracket or support piece.
- Component 3:** A small circular fastener, similar to component 1.
- Component 4:** A long, thin rectangular plate with multiple mounting holes.
- Component 5:** A small triangular bracket, similar to component 2.
- Component 6:** A small circular fastener, similar to component 1.
- Component 7:** A small circular fastener, similar to component 1.
- Component 8:** A long, thin rectangular plate, similar to component 4 but with different internal features.
- Component 9:** A small circular fastener, similar to component 1.
- Component 10:** A small circular fastener, similar to component 1.
- Component 11:** A small triangular bracket, similar to component 2.
- Component 12:** A small circular fastener, similar to component 1.
- Component 13:** A small circular fastener, similar to component 1.
- Component 14:** A small triangular bracket, similar to component 2.
- Component 15:** A small triangular bracket, similar to component 2.
- Component 16:** A small triangular bracket, similar to component 2.
- Component 17:** A small circular fastener, similar to component 1.
- Component 18:** A small circular fastener, similar to component 1.

The diagram shows how these components are assembled together, with lines indicating the alignment and placement of each part. The main body of the assembly is a large, rectangular frame with various internal structures and mounting points.



| L.p.<br>Item | Numer części<br>Part No. | Nazwa części                            | Description                         | Ilość<br>Quantity | Uwagi<br>Notes |
|--------------|--------------------------|-----------------------------------------|-------------------------------------|-------------------|----------------|
| 1            | 0924.03.01.000           | Uchwyt                                  | Holder                              | 1                 |                |
| 2            | 0924.03.02.000           | Wspornik                                | Bracket                             | 1                 |                |
| 3            | MHOL-140-002             | Koło pasowe pod tuleje Tapera SPA 140-2 | Pulley SPA 140-2                    | 1                 |                |
| 4            | MHOL-140-004             | Koło pasowe pod tuleje Tapera SPA 140-4 | Pulley SPA 140-4                    | 4                 |                |
| 5            | MIHG-001-002             | Gniazdo szybkozłączna grzyb. G1" EURO   | Hydraulic socket G1" EURO           | 1                 | -              |
| 6            | MIHK-027-002             | Złączka M30 x 1"                        | Straight connector M30x1"           | 8                 |                |
| 7            | MIHP-051-027             | Przyłączka kolankowa 51x27 G1"          | Pump connector 51x27 G1" - angle    | 2                 |                |
| 8            | MIHP-090-006             | Przewód M30x2 L= 900 A45-A              | Cord M30x2 L= 900 A45-A             | 2                 |                |
| 9            | MIHP-170-005             | Przewód M30x2 L= 1700 A45-A             | Cord M30x2 L= 1700 A45-A            | 2                 |                |
| 10           | MIHP-170-006             | Przewód M14x1,5 M16x1,5 L= 1700 A-O     | Cord M14x1,5 M16x1,5 L= 1700 A-O    | 1                 |                |
| 11           | MIHP-301-000             | Przystawka HP301010201 (Z15/D35)        | Motor adapter HP301010201 (Z15/D35) | 1                 |                |
| 12           | MIHS-341-000             | Silnik hydr. HPGMA341B21E7E7R00         | Hydraulic motor HPGMA341B21E7E7R00  | 1                 | -              |
| 13           | MIHW-001-000             | Wtyczka szybkozłączna grzyb. G1" EURO   | Hydraulic connector G1" EURO        | 1                 | -              |
| 14           | MIHZ-000-002             | Wtyczka EURO M14x1.5                    | Plug EURO M14x1.5                   | 1                 |                |
| 15           | MIHZ-001-000             | Zawór przelew. VMPP G1" (C056-V0735)    | Valve VMPP G1" (C056-V0735)         | 1                 |                |
| 16           | MITT-035-020             | Tuleja Taperbush 2012 / 35              | Taperbush 2012 / 35                 | 1                 | -              |
| 17           | MITT-035-025             | Tuleja Taperbush 2517 / 35              | Taperbush 2517 / 35                 | 4                 |                |
| 18           | MZK-1500-005             | Pasek klinowy SPA2 - 1500 (zespólny)    | V-belt SPA2 - 1500                  | 2                 |                |
| 19           | MZK-1700-005             | Pasek klinowy SPA2 - 1700 (zespólny)    | V-belt SPA2 - 1700                  | 2                 |                |
| 20           | MZNS-014-004             | Nakrętka M14 kl. 8.8 oc. samozab.       | Nut M14 cl. 8.8 z. self-lock.       | 8                 |                |
| 21           | MZPP-014-001             | Podkładka fi14 oc.                      | Washer fi14 z.                      | 14                |                |
| 22           | MZPS-008-001             | Podkładka spręż. fi 8,2 oc.             | Spring washer fi 8.2 z.             | 2                 |                |
| 23           | MZPS-012-001             | Podkładka spręż. fi12,2 oc.             | Spring washer fi12.2 z.             | 2                 |                |
| 24           | MZSZ-008-009             | Śruba M 8x 25 kl. 8.8 oc. (82105)       | Bolt M 8x 25 cl. 8.8 z. (82105)     | 2                 |                |
| 25           | MZSZ-012-045             | Śruba M12x 45 kl. 8.8 oc. (82101)       | Bolt M12x 45 cl. 8.8 z. (82101)     | 2                 |                |
| 26           | MZSZ-014-005             | Śruba M14x 35 kl. 8.8 oc. (82105)       | Bolt M14x 35 cl. 8.8 z. (82105)     | 6                 |                |
| 27           | MZSZ-014-006             | Śruba M14x 60 kl. 8.8 oc. (82101)       | Bolt M14x 60 cl. 8.8 oc. (82101)    | 2                 |                |
| 28           | MZUP-033-010             | Uszczelka miedziana fi33                | Copper seal fi 33                   | 2                 | -              |



| L.p.<br>Item | Numer części<br>Part No. | Nazwa części                            | Description                             | Ilość<br>Quantity | Uwagi<br>Notes |
|--------------|--------------------------|-----------------------------------------|-----------------------------------------|-------------------|----------------|
| 1            | 0924.03.01.000           | Uchwyt                                  | Holder                                  | 1                 |                |
| 2            | 0924.03.03.000           | Wspornik Fisher                         | Fisher bracket                          | 1                 |                |
| 3            | MHOL-140-002             | Koło pasowe pod tuleje Tapera SPA 140-2 | Pulley SPA 140-2                        | 1                 |                |
| 4            | MHOL-140-004             | Koło pasowe pod tuleje Tapera SPA 140-4 | Pulley SPA 140-4                        | 4                 |                |
| 5            | MIHG-001-002             | Gniazdo szybkozłączka grzyb. G1" EURO   | Hydraulic socket G1" EURO               | 1                 | -              |
| 6            | MIHK-027-003             | Złączka M30x2 - 3/4"                    | Straight connector M30x2 - 3/4"         | 8                 |                |
| 7            | MIHP-040-000             | Przylączka kol. 40x20 G3 4"             | Hydraulic connector 40x20 G3/4" - angle | 2                 |                |
| 8            | MIHP-090-006             | Przewód M30x2 L= 900 A45-A              | Cord M30x2 L= 900 A45-A                 | 2                 |                |
| 9            | MIHP-170-005             | Przewód M30x2 L= 1700 A45-A             | Cord M30x2 L= 1700 A45-A                | 2                 |                |
| 10           | MIHP-301-000             | Przystawka HP301010201 (Z15/D35)        | Motor adapter HP301010201 (Z15/D35)     | 1                 |                |
| 11           | MIHS-000-326             | Silnik hyd. HPLMA326HK1E5E5RSG          | Hydraulic engine HPLMA326HK1E5E5RSG     | 1                 |                |
| 12           | MIHW-001-000             | Wtyczka szybkozłączka grzyb. G1" EURO   | Hydraulic connector G1" EURO            | 1                 | -              |
| 13           | MIHZ-034-000             | Zawór przelewowy krzyżowy VAU G3/4"     | Valve VAU G3/4"                         | 1                 |                |
| 14           | MITT-035-020             | Tuleja Taperbush 2012 / 35              | Taperbush 2012 / 35                     | 1                 | -              |
| 15           | MITT-035-025             | Tuleja Taperbush 2517 / 35              | Taperbush 2517 / 35                     | 4                 |                |
| 16           | MZK-1500-005             | Pasek klinowy SPA2 - 1500 (zespolony)   | V-belt SPA2 - 1500                      | 2                 |                |
| 17           | MZK-1700-005             | Pasek klinowy SPA2 - 1700 (zespolony)   | V-belt SPA2 - 1700                      | 2                 |                |
| 18           | MZNS-008-006             | Nakrętka M 8 kl. 8 oc. samozab.         | Nut M 8 cl. 8.8 z. self-lock.           | 2                 |                |
| 19           | MZNS-014-004             | Nakrętka M14 kl. 8 oc. samozab.         | Nut M14 cl. 8.8 z. self-lock.           | 8                 |                |
| 20           | MZPP-008-002             | Podkładka fi 8 oc.                      | Washer fi 8 z.                          | 2                 |                |
| 21           | MZPP-014-001             | Podkładka fi14 oc.                      | Washer fi14 z.                          | 14                |                |
| 22           | MZPS-012-001             | Podkładka spręż. fi12,2 oc.             | Spring washer fi12.2 z.                 | 2                 |                |
| 23           | MZSZ-008-013             | Śruba M 8x 50 kl. 8.8 oc. (82105)       | Bolt M 8x 50 cl. 8.8 z. (82105)         | 2                 |                |
| 24           | MZSZ-012-045             | Śruba M12x 45 kl. 8.8 oc. (82101)       | Bolt M12x 45 cl. 8.8 z. (82101)         | 2                 |                |
| 25           | MZSZ-014-005             | Śruba M14x 35 kl. 8.8 oc. (82105)       | Bolt M14x 35 cl. 8.8 z. (82105)         | 6                 |                |
| 26           | MZSZ-014-006             | Śruba M14x 60 kl. 8.8 oc. (82101)       | Bolt M14x 60 cl. 8.8 oc. (82101)        | 2                 |                |
| 27           | MZUP-026-000             | Uszczelka miedziana fi26                | Copper seal fi 26                       | 4                 |                |
| 28           | MZUP-028-036             | Uszczelka miedziana fi28                | Seal fi28 - copper                      | 2                 |                |

| L.p.<br>Item | Numer części<br>Part No. | Nazwa części                 | Description                 | Ilość<br>Quantity | Uwagi<br>Notes |
|--------------|--------------------------|------------------------------|-----------------------------|-------------------|----------------|
| 1            | 0924.07.02.000           | Linka gumowa kpl. fi 8 L-200 | Rubber cord cpl. fi 8 L-200 | 2                 |                |
| 2            | 0925.07.01.000           | Osłona                       | Cover                       | 1                 |                |

